

Quick Start Guide Smart Projector K2s PRO

YABER Lifetime Professional Support

Dear valued customer

Thank you for choosing Yaber K2s projector.

This manual will help you navigate through all the features.

Scan the QR code on the next page to get the detailed product user manual and video guideline.

We understand that there may be many questions and concerns that arise during the use of the projector. We are also eager to hear your feedback. However, leaving a review on the product page does not get the fastest solution. Many common problems, such as inability to 1. auto focus or keystone, sound issues, WiFi or Bluetooth connection issues, can usually be resolved with appropriate settings adjustments.


If you encounter any issues, feel free to send your **order number** and **the problems** to us at **service@yaber.com. (e.g. US+K2s+000-0000000-0000000+Issues)**Rest assured, our service team will offer the solution to you with 24 hours.

Your satisfaction is our top priority. If you encounter any issues, we sincerely hope you could give us an opportunity to make things right. We also encourage you to thoroughly explore the contents of this manual first.


We wish you have an outstanding experience with the K2s projector.

Yaber Consumer Service Team

Package Contents





Product Overview





Install the TV Dongle

Attention: The TV Dongle is prestalled










- 1. Push once to open the lid and take out the dongle.
- 2. Insert the TV Dongle. (Note the front and back)
- 3. Press the "Push" to close the lid.



Notice: When using Google TV for the first time, you will need to follow the guidelines and long press a and + to pair with.



If you have any questions during the installation process, please contact the after-sales email.

Purchased Online: service@vaber.com


Purchased from other Authorized Partners: aftersales@yabertech.com




Scan the OR code to watch the video tutorial

Turn on Yaber Projector


1. Connect the projector and subwoofer to the power supply and turn on the switch.



2.Plug the USB Dongle from the accessory box into the projector.



3. Click the pairing button that



4. Click the pairing button on the subwoofer.

Power ON/OFF

shows on the projector screen.


Now, Click button to pair you subwoofer

5. When the indicator light of the subwoofer is always on, it means the pairing is successful.

0

Fast Blink:	Pairing in progress
Slow Blink:	Not paired
Always On:	Paired successfully


Smart Voice Control Setup





- 1. Connect K2s to the Wi-Fi network and start Alexa Setup from the projector home screen and log in.
- 2. Log in and open Alexa app on your phone.

Go to More--->Skills & Game, and search for Skills--->Find Whale Video and enable it.





- 3. In Whale Video Settings—->Advanced Settings page, pair your projector with your smart speakers (built-in Alexa) to finish your setup.
- 4. Now try this "Alexa, open YouTube on the projector."

If you have any questions during the installation process, please contact the after-sales email.

Purchased Online: service@yaber.com

Purchased from other Authorized Partners: aftersales@yabertech.com



Scan the QR code to watch the video tutorial

NFC Settings

- 1. Download and install E-share App by scan QR code or visit http:/h.eshare.app
- 2. Make sure your phone and projector are connected to same network, and connect the projector on E-share App.
- 3. Please enable the NFC function on your phone and lightly tap the top of your phone on the NFC sensing area marked on the projector








- 4. Go to Settings on E-share App, Select "Write NFC Tags" and follow the prompts to activate the NFC area on the projector.
- 5. Now you can tap your phone closely on the NFC area to Screencast while the projector is powered on and on the same Wi-Fi network as your phone.









Note:

- 1. NFC screencast requires your phone to touch the NFC detection area on the projector, which may not be suitable for ceiling mounts.
- 2. NFC reading areas and the range of your smartphone vary from brand and model. Please refer to your smartphone manufacturer for detailed instructions.
- 3. Currently the NFC tag does not support cross-OS use. An activated tag can only be read by casting devices with the same operating system as the setting device.

If you have any questions during the installation process, please contact the after-sales email.

Purchased Online: service@yaber.com

Purchased from other Authorized Partners: aftersales@yabertech.com



Scan the QR code to watch the video tutorial

Bluetooth Speaker Mode







- 1. Click the Bluetooth Speaker Mode button on the projector.
- 2. Pair the mobile device with the projector to play music.

Quiet Mode



Click the Quiet Mode button on the projector to enter the Quiet Mode, and click again to exit.

Image Adjustment

When you turn on the projector, please wait patiently for 2-3 seconds, the projector will auto focus, auto keystone correct.

Focus Adjustment





If the image is not clear, you can use the manual focus function, and press the focus buttons "F+" and "F-" on the remote control to adjust the focus of the lens, until the image is clear.

Note: If it is still blurry, please try adjusting to the best projection distance. The best projection distance is 7-12 ft (2.3-3.5 m).

If you have any questions during the installation process, please contact the after-sales email.

Purchased Online: service@vaber.com

Purchased from other Authorized Partners: aftersales@yabertech.com



Scan the QR code to watch the video tutorial



The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.



PDF User Manual

Scan and download



Video Guideline

Scan to learn more

Where to Get More Help

Purchased Online: service@yaber.com

Purchased from other Authorized Partners: 🖂 aftersales@yabertech.com



Product Overview

